



Replaces pins 1, 2
 Eliminates thermistor/pins
 Power = +5V instead of +12V
 from 12-2015 schematic

IC ETS Inc. Inc.
 8-2019



DS2413PT




DS2408




0Fn-1A forward LED drop 2.43V @ 4mA



P- white V3 }
 Pt blue 1 } to 12V behind furnace





Thermostat preset wiring





Thermostat Interface
 N35C 12-2015




Furnace

IC Engineering, Inc
8-2-19






1-Wire $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
 50 56D $\frac{1}{2}$
 57D 58D




(Furnace)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10




DEPARTMENT OF DEFENSE AND OTHER
 FEDERAL AGENCIES HAS NOTIFIED THE
 THE OF SPENDING FOR POTENTIAL ASSESS-
 AND THAT THE 3450 3550 THE HAND COULD
 AS A KEY ASSET IN OUR + IND OF 15 W/

XI




IC Engineering, Inc.
8-2019


Basement



IC Engineering, Inc.
8-2019



Bedroom



IC Engineering, Inc.
8-2019

Bedroom

Garage

Furnace

